


# Tangled Threads

Fabric and quilt design by Terri Degenkolb of Whimsicals

Piecing and machine quilting by Connie Lancaster



Finished Quilt Size: 43" x 54 1/4"



## FABRIC REQUIREMENTS:

### DARK PRINTS:

20795 – RED1 (word print).....	Fat eighth	*	◆	•
20799 – DKGRY1 (tea stain).....	Fat eighth	*	◆	
20794 – DKBRO1 (floral print).....	Fat eighth	*	◆	
20794 – BLU1 (floral print).....	Fat quarter	*	◆	●
20797 – BRO1 (small stripe).....	7/8 yard	*	◆	
20797 – GRE1 (small stripe).....	Fat quarter	*	◆	●
20798 – BRO1 (small paisley).....	Fat eighth	*	◆	●
20794 – RED1 (floral print).....	Fat eighth	*	◆	
20841 – BRO1 (button print).....	Fat eighth	*	◆	
20795 – GRY1 (word print).....	Fat quarter	*	◆	●
20797 – RED1 (small stripe).....	Fat eighth	*		●
20799 – LTBRO1 (tea stain).....	Fat eighth	*		●

### Notations: (see note)

#### Note:

- \* Use as dark print in Shoo Fly block.
- ◆ Use as dark print for Setting Triangle.
- Use as dark print for Corner Triangle.
- Use as dark print in Square in Square block.

### NEUTRAL BACKGROUNDS:

20798 – BEI1 (small paisley).....	1/4 yard
20795 – BEI1 (word print).....	1/4 yard
20799 – BEI1 (tea stain).....	3/4 yard



### BLOCK BORDERS & CORNERSTONES:

20798 – DKBRO1 (small paisley).....	1/2 yard
20795 – GRE1 (word print).....	1/8 yard
20796 – GRY1 (basket weave).....	1/4 yard

### OUTER BORDER & FOCUS PRINT:

20793 – LTBEI1 (border stripe).....	1 1/2 yards
20792 – LTBEI1 (overall print).....	1/2 yard
Backing.....	2 3/4 yards
Batting.....	49" x 60"

#### SETTING TRIANGLE CUTTING GUIDE



#### CORNER TRIANGLE CUTTING GUIDE

## CUTTING INSTRUCTIONS:

Please read all instructions carefully before beginning. 1/4" seam allowance is included in measurements and all strips are cut across the width of the fabric unless noted otherwise.

Refer to the **SETTING TRIANGLE CUTTING GUIDE** and the **CORNER TRIANGLE CUTTING GUIDE** when cutting these pieces.

From *each* of the ten indicated dark prints ◆, cut a **Setting Triangle**.

From *each* of the four indicated dark prints ●, cut a **Corner Triangle**.

From *each* of the twelve indicated dark prints \*, cut for a **Shoo Fly** block:

- One square 2" x 2" (A).
- Two squares 3 1/8" x 3 1/8" (B).

From *each* of the six indicated dark prints •, cut for a **Square in a Square** block: two squares 4 1/8" x 4 1/8" (F).

**For the Shoo Fly block neutral backgrounds:**

**From 20798 – BEI1 (small paisley) cut:**

- One strip 2 3/4". Subcut into 20 rectangles 2" x 2 3/4" (D).
- One strip 3 1/8". Subcut into 10 squares 3 1/8" x 3 1/8" (C).

**From 20795 – BEI1 (word print) cut:**

- One strip 2 3/4". Subcut into 20 rectangles 2" x 2 3/4" (D).
- One strip 3 1/8". Subcut into 10 squares 3 1/8" x 3 1/8" (C).

**From 20799 – BEI1 (tea stain) cut:**

- Eight rectangles 2" x 2 3/4" (D).
- Four squares 3 1/8" x 3 1/8" (C).

**For the Block Frames & Cornerstones:**

From 20799 – BEII (tea stain) cut: three strips 6½" (G).

From 20798 – DKBRO1 (small paisley) cut:

two strips 6½" (E).

From 20795 – GREI (word print) cut: two strips 1½" (F).

From 20796 – GRY1 (basket weave) cut:

three strips 1½" (H).

**For the Square in a Square block** centers fussy cut six squares 4½" x 4½" (I) from 20792 – BEII (overall print).

**From 20793 – LTBEII (border stripe)** fussy cut the following strips along the length of the fabric centering the design:

Two strips 5" x 47" for the sides.

Two strips 5" x 45" for the top and bottom.

**NOTE:** Measure your completed quilt before cutting these strips. Trim to your measured length before adding them to your quilt.

**From 20797-BRO (small stripe)** cut and piece together 210" of 2¼" bias strips for binding.

**PIECING INSTRUCTIONS:**

**A. The Shoo Fly blocks:**


1. Draw a diagonal line on the wrong side of a neutral 3⅞" (C) square. Place right sides together with a dark print 3⅞" square (B). Sew ¼" on each side of the drawn line. Cut on the line and press. Make 4 half-square units for each Shoo Fly block and square each one up to 2¾".

Draw a line.    Stitch.    Cut.    Press.    Trim and square up.



Figure 1


2. Using the (A) square and the (D) rectangles of the same prints sew twelve Shoo Fly block together as shown in the diagram. Square each one up to 6½".



**Shoo Fly: Make 12. Square up to 6½".**

**B. The Square in Square blocks**

1. Cut each of the dark print (F) squares in half diagonally.
2. Sew the resulting triangles to the center square (I) as shown in the diagram. Make six Square in Square blocks and square each one up to 6½".





**Square-In-Square: Make 6. Square up to 6½".**

**C. Block borders:**

1. From one 6½" (E) strip cut 24 rectangles 1½" x 6½". Sew these to opposite sides of each Shoo Fly block.


2. Sew a 1½" (F) strip to each long side of the remaining (E) strip. Subcut this into 24 units 1½" x 8½". Add these to the remaining sides of each Shoo Fly block as shown in the diagram. Square each completed block up to 8½".



**Shoo Fly: Make 12. Square up to 8½".**


3. From one 6½" (G) strip, cut 12 rectangles 1½" x 6½". Sew these to opposite sides of each Square in Square block.

4. Sew a 1½" (H) strip to each long side of one (G) strip. Subcut this into 26 units 1½" x 8½". Use twelve of these to complete each Square in Square block as shown in the diagram. Square up each completed block to 8½". Matching centerline for triangle and frame, use 4 of these to complete the four Corner Triangles as shown. Set the remaining 10 aside.




**Square-In-Square: Make 6. Square up to 8½".**

5. Sew a 1½" (H) strip to one long side of the remaining (G) strip. From this cut 10 units 1½" x 7½". Add these to one short side of each Setting Triangle as shown. Sew the remaining G/H units from above to complete 10 Setting Triangles.





**Corner Triangle: Make 4.**

**Setting Triangle: Make 10.**



## QUILT ASSEMBLY:

- A. Lay the blocks out as shown in the Overall Piecing Diagram. Sew them together in diagonal rows, then sew the rows together.
- B. Trim the cornerstones along each edge, leaving a  $\frac{1}{4}$ " seam allowance.
- C. Measure the length of the quilt and trim the longer border stripe pieces to this length. Sew these to the sides of the quilt.
- D. Measure the width of the quilt and trim the remaining border stripe pieces to this measurement. Sew these to the top and bottom of the quilt.
- E. Piece together a backing. Layer the quilt with batting and the backing, then quilt. Bind with double fold bias binding.



©2010 Whimsicals by Terri Degenkolb for Red Rooster Fabrics. All rights reserved. Not intended for individual resale. The design for this Red Rooster Fabrics' pattern is protected by U.S. copyright law. Quilt stores: for additional copies of this pattern please call or write Red Rooster Fabrics at the address listed.  
253 West 35th Street, 11th Floor, New York, NY 10001 • 401.728.4200 • [www.redroosterfabrics.com](http://www.redroosterfabrics.com)

We take great care to ensure that the information included in our free pattern is accurate and presented in good faith. No warranty is provided nor results guaranteed. For your convenience, we post an up-to-date listing of corrections on our website: <http://www.redroosterfabrics.com/quilt/oops.php> If a correction is not noted, please contact our customer service department at [info@redroosterfabrics.com](mailto:info@redroosterfabrics.com). You may also call or write us at the address above.