


Harvest Town

Fabric and quilt by Jacqueline Paton
Machine quilted by Lisa Teichmann



Fabric from "Harvest Town" collection (style #3750) by Jacqueline Paton for Red Rooster Fabrics.

FABRIC REQUIREMENTS:

Pattern #19899 – MUL1.....	1 panel
19904 – GOL1.....	1/2 yard
19906 – GOL1.....	2/3 yard
19906 – BRO1.....	2/3 yard
19906 – GRY1.....	1/8 yard
17130 – DKBRO1.....	7/8 yard
17132 – DKBRO1.....	3/4 yard
Backing of choice.....	3 1/2 yards
Batting.....	57" x 57"

CUTTING INSTRUCTIONS:

Cut fabrics in order given.

A. Pattern #19899 – MUL1 (panel):

1. Trim each panel inset to 18 1/2" x 10 1/2".

B. Pattern #19904 – GOL1 (check):

1. Cut four 1 7/8" squares. Recut diagonally into eight triangles. Label C.
2. Cut five 2 1/2" x wof (width of fabric) strips. Label T. Sew together end-to-end; press.

C. Pattern #19906 – GOL1 (corn husks):

1. Cut two 1 1/2" strips. Label E.
2. Cut two strips 2 1/2" x wof. Recut into twenty 2 1/2" squares. Label H.
3. Cut three strips 4 1/2" x wof. Recut one strip into six 4 1/2" squares. Label two J and label four N. Recut one strip into four 4 1/2" x 8 1/2" rectangles. Label Q. Recut last strip into two 4 1/2" x 12 1/2" rectangles. Label L.

D. Pattern #19906 – BRO1 (corn husks):

1. Cut two strips 1 1/2" x wof. Label G.
2. Cut two strips 2 1/2" x wof. Recut into twenty 2 1/2" squares. Label I.
3. Cut three strips 4 1/2" x wof. Recut one strip into six 4 1/2" squares. Label two K and label four O. Recut one strip into four 4 1/2" x 8 1/2" rectangles. Label P. Recut last strip into two 4 1/2" x 12 1/2" rectangles. Label M.

E. Pattern #19906 – GRY1 (corn husks):

1. Cut four 1 1/2" squares. Label A.
2. Cut one 3 1/4" square. Recut diagonally in both directions to yield four triangles. Label B.

F. Pattern #17130 – DKBRO1 (tonal stripe):

1. Cut five strips 2" x wof. Label V. Sew together end-to-end; press
2. Cut six 2 1/2" strips for binding.

G. Pattern #17132 – DKBRO1 (tonal stars):

1. Cut one 2 1/2" strip; cut five 2 1/2" squares. Label one D and four U.
2. Cut four strips 1 1/2" x wof. Label F.
3. Cut four strips 1 1/2" x wof. Recut eight 1 1/2" x 10 1/2" rectangles. Label R.
4. Cut four strips 1 1/2" x wof. Recut eight 1 1/2" x 20 1/2" rectangles. Label S.

PIECING INSTRUCTIONS:

Use 1/4" seam allowances.

A. Unit 1:

1. Sew C to each side of B. Press toward C. Make four.




Figure 1 Make 4.

2. Sew A + CBC + A. Press toward A. Make two.
3. Sew CBC + D + CBD. Press toward D. Make one.
4. Sew together into rows as shown in Figure 2. Press toward D. Set aside and continue as follows.
5. Sew one strip E to one strip F. Press toward F. Repeat. Crosscut strips into 1 1/2" segments. Make forty (Figure 3).




Figure 3 Make 40.

6. Sew one strip F to one strip G. Press toward F. Repeat. Crosscut strips into 1 1/2" segments. Make forty (Figure 4).




Figure 4 Make 40.

7. Sew EF to FG. Press in either direction. Make forty (Figure 5).



Figure 5 Make 40.

8. Sew H to EF/FG. Press toward H. Make twenty (Figure 6).



Figure 6 Make 20.

9. Sew EF/FG to I. Press toward I. Make twenty (Figure 7).




Figure 7 Make 20.

10. Sew H unit to I unit. Press toward I. Make twenty (Figure 8).



Figure 8 Finished size: 4" Make 20.



Star Block Unit Finished Size: 4" Make 1.





Figure 2

Harvest Town Table Runner



Side A



Side B

Finished size of tablerunner: 19" x 46"

FABRIC REQUIREMENTS:

A. Pattern #19899 – MUL1.....	1 panel
B. Pattern #19901 – BEI1.....	1/2 yard
C. Pattern #19903 – RED1.....	3/8 yard
D. Pattern #19904 – DKRUS1.....	1/4 yard
E. Pattern #19905 – LTBEI1.....	1/4 yard
F. Pattern #19906 – GRE1.....	1/8 yard
G. Pattern #19906 – GOL1.....	1/8 yard
H. Pattern #19906 – GRY1.....	1/8 yard
I. Pattern #19906 – BRO1.....	1/2 yard

CUTTING INSTRUCTIONS:

- A. Pattern #19899 – MUL1 (panel): cut four 10 1/2" x 18 1/2" rectangles centering motif within each.
- B. Pattern #19901 – BEI1 (scenic): cut six 4 1/2" squares centering your choice of motifs within each.
- C. Pattern #19903 – RED1 (crows & apples): cut one 18 1/2" x 24 1/2" rectangle.
- D. Pattern #19904 – DKRUS1 (rust checks): cut one 5" strip; subcut six 5" x 6 1/2" rectangles.
- E. Pattern #19905 – LTBEI1 (beige tonal): cut three 2" strips; subcut one strip into twelve 2" x 3 1/4" rectangles. Cut two strips into (24) 2" squares. Use remainder of strip to cut six 1" squares.
- F. Pattern #19906 – GRE1 (green tonal): cut one 2" strip; subcut six 1" x 2" rectangles.
- G. Pattern #19906 – GOL1 (gold tonal): cut two 1 1/2" strips; subcut twelve 1 1/2" x 6 1/2" rectangles.

Refer to the Quilt Diagram for the remainder of instructions.

11. Sew J to each side of the star block. Press toward J. Make one.
12. Sew H/I block to each side of K. Press toward K. Make two.
13. Add K unit to top and bottom edges of star unit. Press towards K
14. Sew L to each side of the star square. Press toward L.
15. Sew an H/I block to each end of M. Press toward M. Make two.
16. Add M strip to top and bottom edges of star block. Press toward M. Unit 1 is complete. It should measure 20 1/2" square unfinished.

B. Unit 2:

1. Sew N to H/I block. Press toward N. Make four.
2. Sew O to H/I block. Press toward O. Make four.
3. Sew N section to O section. Press toward O. Make four.
4. Sew N/O unit to P section. Press toward P. Make four.
5. Sew H/I block to the end of Q. Press toward Q. Make four.
6. Add Q/H/I unit to N/O/P unit to complete Unit 2. Press toward Q. Make four.

QUILT ASSEMBLY:

Panel:


1. Sew strip R (1 1/2" x 10 1/2") to each panel side. Press toward R.
2. Sew strip S (1 1/2" x 20 1/2") to top and bottom edges of each panel. Press toward S.
3. Sew a bordered panel to each side of Unit 1. Press toward panel.
4. Sew Unit 2 squares to each end of remaining two panels. Press seam toward panel. Sew to the top and bottom of Unit 1 to complete. Press seam toward panel.

Border 1: Measure your quilt and cut the border strips to your personal measurement.

1. Sew T to opposite sides of assembled quilt. Press toward T.
2. Sew U to each end of remaining T strips. Press toward T.
3. Sew to top and bottom. Press toward T.

Border 2:

1. Using your own personal measurements, cut and sew side borders as shown. Remeasure quilt and cut and sew top and bottom borders as shown.



Quilt Diagram

FINISHING:

1. Prepare the backing to measure 57" x 57".
2. Layer quilt top, batting, and backing. Baste layers together.
3. Quilt as desired.
4. Trim the batting and backing even with the quilt top.
5. Join binding strips V with diagonal seams. Press seams open. Apply binding using your favorite method.




H. Pattern #19906 – GRY1 (gray tonal): cut two 1 1/2" strips; subcut twelve 1 1/2" x 4 1/2" rectangles.

I. Pattern #19906 – BRO1 (brown tonal): cut two 1 1/4" strips; subcut four 1 1/4" x 18 1/2" rectangles. Cut four 2 1/2" strips for binding.

PUMPKIN BLOCK:


1. Draw diagonal line on wrong side of all [E] 2" squares. Place one marked square on each corner of a [D] rectangle. Sew on lines and trim seams to 1/4". Press toward triangles. Repeat to make six units.
2. Draw a diagonal line on wrong side of all [E] 1" squares. Place a marked square on one end of each [F] rectangle. Sew on lines and trim seams to 1/4". Press toward triangles.
3. Sew an [E] 2" x 3 1/4" rectangle to both sides of each stem unit from above. Press toward [E] rectangles.
4. Join top and bottom sections together to make six blocks.




Pumpkin Block
Finished Size: 6"
Make 6.

FRAMED BLOCK:

1. Sew an [H] rectangle to sides of three [B] squares. Sew remainder of [H] rectangles to top and bottom of remaining three [B] squares. Press toward [H] rectangles.
2. Sew a [G] rectangle to raw edges of each [B] square. Press toward [G] rectangles. You will have six blocks – three of each type.



Framed Block
Finished Size: 6"
Make 3 of each.



REVERSE SIDE OF TABLE RUNNER:

1. Sew an [I] rectangle to each end of the [C] rectangle; press.
2. Sew an [A] panel block to both ends of center as shown; press.

TABLE RUNNER ASSEMBLY:

1. Refer to photo to sew blocks together into rows. Press rows in opposite directions. Sew rows together and press.
2. Sew an [I] rectangle to ends of center; press.
3. Sew an [A] panel block to both ends of center as shown; press.
4. Place wrong sides of front and back together. Use [I] 2 1/2" strips to create binding and sew to runner. Stitch in-the-ditch in all seams.

NOTE: If desired, add thin batting to inside of runner before sewing layers together.



Harvest Town Placemats

FABRIC REQUIREMENTS:

- A. Pattern #19899 – MUL1 1 panel
- B. Pattern #19904 – GRY1 1/2 yard
- C. Pattern #19906 – RED1 1/4 yard
- D. Pattern #19906 – GOL1 1/4 yard
- E. Pattern #19915 – MUL1 2/3 yard

CUTTING INSTRUCTIONS:

- A. **Pattern #19899 – MUL1 (panel):** cut four 10 1/2" x 18 1/2" rectangles centering motif within each.
- B. **Pattern #19904 – GRY1 (gray checks):** cut four 1 1/4" strips; subcut eight 1 1/4" x 18 1/2" rectangles. Cut four 1 3/4" strips; subcut eight 1 3/4" x 18 1/2" rectangles.
- C. **Pattern #19906 – RED1 (red tonal):** cut four 1 3/4" x 18 1/2" strips; subcut eight 1 3/4" x 18 3/4" rectangles.

- D. **Pattern #19906 – GOL1 (gold tonal):** cut four 1 1/4" x 18 1/2" strips; subcut eight 1 1/4" x 18 1/2" rectangles.
- E. **Pattern #19915 – MUL1 (houses):** cut four 10 1/2" x 18 1/2" rectangles.

PLACEMAT ASSEMBLY:

1. Sew [B] 1 1/4" x 18 1/2" rectangles to top and bottom of [A] rectangles. Sew [C] 1 3/4" x 18 1/2" rectangles to outside of each [B] rectangle. Press all seams away from center.
2. Sew [D] 1 1/4" x 18 1/2" rectangles to top and bottom of [E] rectangles. Sew [B] 1 3/4" x 18 1/2" rectangles to outside of each [D] rectangle. Press all seams toward center.
3. Sew fronts and backs together leaving an opening on side of each set. Turn right sides out through opening; press. Topstitch close to all edges. Stitch in-the-ditch in all seams. *NOTE: If desired, add thin batting to inside of placemat before sewing layers together.*



Placemat front



Finished size of placemat: 14" x 18"



Placemat back

Placemats designed by Cyndi Hershey for Red Rooster Fabrics ©2010.



©2010 Red Rooster Fabrics. All rights reserved. Not intended for individual resale.

The design for this Red Rooster Fabrics' pattern is protected by U.S. copyright law. Quilt stores: for additional copies of this pattern please call or write Red Rooster Fabrics at the address listed below.
253 West 35th Street, 11th Floor, New York, NY 10001 • 401.728.4200 • www.redroosterfabrics.com

We take great care to ensure that the information included in our free pattern is accurate and presented in good faith. No warranty is provided nor results guaranteed. For your convenience, we post an up-to-date listing of corrections on our website: <http://www.redroosterfabrics.com/quilt/oops.php>

If a correction is not noted, please contact our customer service department at info@redroosterfabrics.com. You may also call or write us at the address listed. Fabric pumpkin pattern available on www.About.com