


THE Woodland Quilters

Fabric and quilt design by Kelly Mueller of The Wooden Bear

Machine quilting by Julia Swallow

Finished quilt size: 54" x 72"



www.redroosterfabrics.com

FABRIC REQUIREMENTS:

A. Pattern #19611 – BE11	one panel
B. Pattern #19613 – GOL1	1/8 yard
C. Pattern #19614 – RED1	1/4 yard
D. Pattern #19614 – GRE1	3/2 yards
E. Pattern #19614 – BLU1	1/2 yard
F. Pattern #19615 – GRE1	1/2 yard
G. Pattern #19615 – RED1	1/8 yard
H. Pattern #19616 – RED1	1/8 yard
I. Pattern #19618 – BLU1	3/8 yard
J. Pattern #19618 – MBE11	7/8 yard
K. Pattern #19618 – DKBE11	1/3 yard
L. Pattern #19618 – BRO1	1/2 yard
M. Pattern #19618 – RED1	1 yard
Backing of choice	3 1/2 yards
Batting	60" x 78"

CUTTING INSTRUCTIONS:

Please read all instructions carefully before beginning. 1/4" seam allowance is included in measurements and all strips are cut across the width of the fabric unless noted otherwise. Label pieces and keep together until ready to sew.

A. Pattern #19611 – BE11 (panel):

Center and cut each of the seven blocks 1/4" beyond the last frame (stripe).

B. Pattern #19613 – GOL1 (gold acorns):

Cut one 2 1/2" strip.

C. Pattern #19614 – RED1 (red fish):

1. Cut two 2" strips; subcut three 2" x 11" and three 2" x 12 1/2".

2. Cut one 2 1/2" strip.

D. Pattern #19614 – GRE1 (green fish):

1. Cut three 3 1/2" strips; subcut fourteen 3 1/2" x 6 1/2".

2. Cut one 3 3/4" strip; subcut six 3 3/4" squares. Cut each square diagonally in both directions to yield twenty-four quarter-square triangles.

3. Cut one 3 3/8" strip; subcut six 3 3/8" squares.

Cut each square diagonally in half to yield twelve half-square triangles.

4. Cut one 2" strip; subcut three 2" x 6 1/2" and three 2" x 5".

5. Cut ten 2" strips, two 3 1/2" strips and one 2 1/2" strip.

6. From remaining length, cut two 3 1/2" x 54 1/2" lengthwise strips and two 3 1/2" x 66 1/2" lengthwise strips.

E. Pattern #19614 – BLU1 (blue fish):

1. Cut four 1 1/2" strips; cut six 1 1/2" x 10 1/2" and six 1 1/2" x 12 1/2".

2. Cut two 2" strips; subcut three 2" x 9 1/2" and three 2" x 8".

3. Cut one 2 1/2" strip.

F. Pattern #19615 – GRE1 (green trees):

1. Cut two 3 1/2" strips; subcut seven 3 1/2" x 6 1/2".

2. Cut one 2" strip; subcut three 2" x 5" and three 2" x 3 1/2".

3. Cut one 2 1/2" strip.

G. Pattern #19615 – RED1 (red trees):

Cut one 2 1/2" strip.

H. Pattern #19616 – RED1 (plaid):

Cut one 2 1/2" strip.

I. Pattern #19618 – BLU1 (blue mottled tonal):

1. Cut one 4" strip; subcut four 4" squares.

2. Cut two 2" strips; subcut three 2" x 8" and three 2" x 6 1/2".

3. Cut one 2 1/2" strip.

J. Pattern #19618 – MBE11 (beige mottled tonal):

1. Cut four 3 1/2" strips; subcut forty-two 3 1/2" squares.

2. Cut two 2 1/2" strips; subcut fourteen 2 1/2" x 3 1/2".

3. Cut one 2 1/4" strip; subcut twelve 2 1/4" squares.

4. Cut six 1" strips.

K. Pattern #19618 – DKBE11 (dark beige mottled tonal):

1. Cut one 3" strip; subcut twelve 3" squares.

2. Cut one 3 3/4" strip; subcut six 3 3/4" squares. Cut each square diagonally in both directions to yield twenty-four quarter-square triangles.

3. Cut one 2 1/2" strip.

L. Pattern #19618 – BRO1

(dark brown mottled tonal): Cut one 3 1/2" strip; subcut seven 2 1/2" x 3 1/2" and three 3 1/2" squares.

M. Pattern #19618 – RED1 (red mottled tonal):

1. Cut one 3 3/4" strip; subcut six 3 3/4" squares. Cut each square diagonally in both directions to yield twenty-four quarter-square triangles.

2. Cut two 2" strips; subcut three 2" x 11" and three 2" x 9 1/2".

3. Cut one 2 1/2" and six 1 1/2" strips.

4. Cut seven 2 1/4" strips for binding.



PIECING INSTRUCTIONS:

Tree Blocks

1. Refer to Figure 1 and with right sides together, place a [J] 3 1/2" square on top of one [D] 3 1/2" x 6 1/2" rectangle. Sew a diagonal line as shown (draw line first, if needed). Trim seam to 1/4" and press. Repeat for opposite end of rectangle to complete one flying-geese unit. Make fourteen units.



Figure 1 Make 14.

2. Follow step one using two [J] squares with one [F] rectangle. Make seven units.



Figure 2 Make 7.

3. Sew one [J] 2 1/2" x 3 1/2" rectangle to each side of one [L] 2 1/2" x 3 1/2" rectangle.

Press. Make seven units.

4. Sew the block together as shown in Figure 3. Make seven tree blocks – 6" x 12" finished.




Figure 3 Make 7.

Star Blocks

1. Refer to Figure 4 to sew one [K] $3\frac{3}{4}$ " triangle to one [J] $2\frac{1}{4}$ " square. Sew one [M] $3\frac{3}{4}$ " triangle to opposite side of square. Press. Make twelve #1 units.
2. Sew one [M] $3\frac{3}{4}$ " triangle to one [D] $3\frac{3}{4}$ " triangle. Press. Make twelve #2 units.
3. Sew one [K] $3\frac{3}{4}$ " triangle to one [D] $3\frac{3}{4}$ " triangle. Press. Make twelve #3 units.



Figure 4

Unit #1
Make 12.

Unit #2
Make 12.

Unit #3
Make 12.

4. Refer to Figure 5 to sew the above units together to complete larger unit shown. Make twelve units.
5. Refer to Figure 6 to sew one [D] $3\frac{3}{8}$ " triangle to opposite sides of one [I] 4 " square. Press toward triangles. Repeat for remaining sides of [I] square. Make three units.



Figure 5 Make 12.




Figure 6 Make 3.




Figure 7 Make 3.

6. Refer to Figure 7, and lay out pieced units with four [K] 3 " squares. Sew into rows and press rows in opposite directions. Sew one [E] $1\frac{1}{2}$ " x $10\frac{1}{2}$ " strip to sides of block and one [E] $1\frac{1}{2}$ " x $12\frac{1}{2}$ " strip to top and bottom of block. Make three star blocks – 12 " finished.

Log Cabin Blocks

1. Refer to Figure 8 to sew one [F] 2 " x $3\frac{1}{2}$ " rectangle to the right of one [L] $3\frac{1}{2}$ " square. Press this and all additional seams away from center square.
2. Sew one [F] 2 " x 5 " rectangle to the top of the above unit. Press. Sew one [D] 2 " x 5 " rectangle to the left of the unit. Press.




Figure 8 Make 3.

- Sew one [D] 2 " x $6\frac{1}{2}$ " rectangle to the bottom of the unit. Press.
3. Continue to add 2 " rectangles as shown in diagram. Make three log cabin blocks – 12 " finished.



Panel Blocks

For all panel blocks, you will sew border strips to the sides and then to the top and bottom of each block. Then, each block will be trimmed to individual size noted.

1. Sew a [D] 2 " strip to one side of Block 1 (Bear & Raft). Trim the excess length and press seam towards the strip. Sew remainder of strip to opposite side and trim. Repeat for top and bottom of block.
2. Using the same method, sew [D] 2 " strips to Blocks 2 through 5.
3. For Blocks 6 and 7, use the same method but sew [D] $3\frac{1}{2}$ " strips to the sides and [D] 2 " strips to the top and bottom of each block.
4. Trim all blocks to $12\frac{1}{2}$ " high. The widths will be trimmed as follows:
Block 1 = $15\frac{1}{2}$ "
Block 2 = $9\frac{1}{2}$ "
Block 3 = $12\frac{1}{2}$ "
Block 4 = $10\frac{1}{2}$ "
Block 5 = $14\frac{1}{2}$ "
Block 6 = $18\frac{1}{2}$ "
Block 7 = $18\frac{1}{2}$ "



QUILT ASSEMBLY:


1. Refer to the photo and quilt diagram to lay out the blocks. Sew blocks together into rows and press seams.
2. Sew six [M] $1\frac{1}{2}$ " strips together end to end and press. Cut two $1\frac{1}{2}$ " x $60\frac{1}{2}$ " strips for Border 1 sides and two $1\frac{1}{2}$ " x $44\frac{1}{2}$ " strips for Border 1 top and bottom. Sew borders to quilt center and press toward borders.
3. Sew six [J] 1 " strips together end to end and press. Cut two 1 " x $62\frac{1}{2}$ " strips for Border 2 sides and two 1 " x $45\frac{1}{2}$ " strips for Border 2 top and bottom. Sew borders to quilt and press toward Border 1.
4. Pieced Borders: Sew $2\frac{1}{2}$ " strips of fabrics [B], [C], [D], [E], [F], [G], [H], [I], [K] and [M] together along long sides. Press. Cut fourteen 2 " segments and sew together end to end. Press. Cut two $63\frac{1}{2}$ " lengths for Border 3 sides and two $48\frac{1}{2}$ " lengths for Border 3 top and bottom. Sew borders to quilt and press.
5. Sew one $3\frac{1}{2}$ " x $66\frac{1}{2}$ " strip for Border 4 to sides and one $3\frac{1}{2}$ " x $54\frac{1}{2}$ " strip for Border 4 to top and bottom. Press seams toward Border 4.

FINISHING:

1. Prepare backing using two widths of fabric. Seam to be placed horizontally with quilt top.
2. Layer quilt top, batting and backing.
3. Baste layers together.
4. Quilt as desired.
5. Trim layers even with quilt top.
6. Join binding strips and sew binding to quilt using your favorite method.
7. Make a hanging sleeve, if desired, and a label and attach to back of quilt.



Quilt Diagram



©2009 Red Rooster Fabrics. All rights reserved. Not intended for individual resale. The design for this Red Rooster Fabrics' pattern is protected by U.S. copyright law. Quilt stores: for additional copies of this pattern please call or write Red Rooster Fabrics at the address listed.
 253 West 35th Street, 11th Floor, New York, NY 10001 • 401.728.4200 • www.redroosterfabrics.com

We take great care to ensure that the information included in our free pattern is accurate and presented in good faith. No warranty is provided nor results guaranteed. For your convenience, we post an up-to-date listing of corrections on our website: <http://www.redroosterfabrics.com/quilt/oops.php> If a correction is not noted, please contact our customer service department at info@redroosterfabrics.com. You may also call or write us at the address above.